

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	1	0	1
		% within Sex	7.1%	.0%	5.3%
	20-24	Count	3	0	3
		% within Sex	21.4%	.0%	15.8%
	30-34	Count	3	2	5
		% within Sex	21.4%	40.0%	26.3%
	35-39	Count	3	3	6
		% within Sex	21.4%	60.0%	31.6%
40-44	Count	2	0	2	
	% within Sex	14.3%	.0%	10.5%	
45-49	Count	1	0	1	
	% within Sex	7.1%	.0%	5.3%	
50-54	Count	1	0	1	
	% within Sex	7.1%	.0%	5.3%	
Total	Count	14	5	19	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	3	10
		% within Sex	50.0%	60.0%	52.6%
	African American	Count	3	2	5
		% within Sex	21.4%	40.0%	26.3%
	Hispanic	Count	4	0	4
		% within Sex	28.6%	.0%	21.1%
Total	Count	14	5	19	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	10	0	10
		% within Sex	71.4%	.0%	52.6%
	IDU	Count	1	2	3
		% within Sex	7.1%	40.0%	15.8%
	M-M & IDU	Count	1	0	1
		% within Sex	7.1%	.0%	5.3%
	Hemophiliac	Count	1	0	1
		% within Sex	7.1%	.0%	5.3%
	Heterosexual Contact	Count	1	1	2
		% within Sex	7.1%	20.0%	10.5%
	Not Classified	Count	0	2	2
		% within Sex	.0%	40.0%	10.5%
Total	Count	14	5	19	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	10	10
		% within Adult-Ped	52.6%	52.6%
	African American	Count	5	5
		% within Adult-Ped	26.3%	26.3%
	Hispanic	Count	4	4
		% within Adult-Ped	21.1%	21.1%
Total	Count	19	19	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 2

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	4	1	5
		% within Sex	16.7%	16.7%	16.7%
	25-29	Count	5	3	8
		% within Sex	20.8%	50.0%	26.7%
	30-34	Count	3	0	3
		% within Sex	12.5%	.0%	10.0%
	35-39	Count	6	1	7
		% within Sex	25.0%	16.7%	23.3%
	40-44	Count	4	1	5
		% within Sex	16.7%	16.7%	16.7%
	45-49	Count	1	0	1
		% within Sex	4.2%	.0%	3.3%
	50-54	Count	1	0	1
		% within Sex	4.2%	.0%	3.3%
Total	Count	24	6	30	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11	2	13
		% within Sex	45.8%	33.3%	43.3%
	African American	Count	8	3	11
		% within Sex	33.3%	50.0%	36.7%
	Hispanic	Count	5	1	6
		% within Sex	20.8%	16.7%	20.0%
	Total		Count	24	6
			% within Sex	100.0%	100.0%

a. PHR = PHR 2

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	14	0	14
		% within Sex	58.3%	.0%	46.7%
	IDU	Count	3	2	5
		% within Sex	12.5%	33.3%	16.7%
	M-M & IDU	Count	3	0	3
		% within Sex	12.5%	.0%	10.0%
	Heterosexual Contact	Count	1	2	3
		% within Sex	4.2%	33.3%	10.0%
	Transfusion	Count	1	0	1
		% within Sex	4.2%	.0%	3.3%
	Not Classified	Count	2	2	4
		% within Sex	8.3%	33.3%	13.3%
Total	Count	24	6	30	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	13	13
		% within Adult-Ped	43.3%	43.3%
	African American	Count	11	11
		% within Adult-Ped	36.7%	36.7%
	Hispanic	Count	6	6
		% within Adult-Ped	20.0%	20.0%
Total	Count	30	30	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 2

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.9%	2.0%	1.3%
	5-12	Count	2	0	2
		% within Sex	1.9%	.0%	1.3%
	13-19	Count	2	3	5
		% within Sex	1.9%	6.1%	3.2%
	20-24	Count	15	4	19
		% within Sex	14.0%	8.2%	12.2%
	25-29	Count	19	10	29
		% within Sex	17.8%	20.4%	18.6%
	30-34	Count	17	10	27
		% within Sex	15.9%	20.4%	17.3%
	35-39	Count	24	10	34
		% within Sex	22.4%	20.4%	21.8%
	40-44	Count	11	9	20
		% within Sex	10.3%	18.4%	12.8%
	45-49	Count	11	0	11
		% within Sex	10.3%	.0%	7.1%
	50-54	Count	4	1	5
		% within Sex	3.7%	2.0%	3.2%
	55-59	Count	1	1	2
		% within Sex	.9%	2.0%	1.3%
Total	Count	107	49	156	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	70	26	96
		% within Sex	65.4%	53.1%	61.5%
	African American	Count	23	20	43
		% within Sex	21.5%	40.8%	27.6%
	Hispanic	Count	13	3	16
		% within Sex	12.1%	6.1%	10.3%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.9%	.0%	.6%
	Total		Count	107	49
			% within Sex	100.0%	100.0%

a. PHR = PHR 2

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	63	0	63
		% within Sex	58.9%	.0%	40.4%
	IDU	Count	13	19	32
		% within Sex	12.1%	38.8%	20.5%
	M-M & IDU	Count	14	0	14
		% within Sex	13.1%	.0%	9.0%
	Hemophiliac	Count	1	0	1
		% within Sex	.9%	.0%	.6%
	Heterosexual Contact	Count	6	13	19
		% within Sex	5.6%	26.5%	12.2%
	Transfusion	Count	1	1	2
		% within Sex	.9%	2.0%	1.3%
	Not Classified	Count	6	15	21
		% within Sex	5.6%	30.6%	13.5%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.9%	.0%	.6%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	1.9%	2.0%	1.9%
Total	Count	107	49	156	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	93	96
		% within Adult-Ped	75.0%	61.2%	61.5%
	African American	Count	0	43	43
		% within Adult-Ped	.0%	28.3%	27.6%
	Hispanic	Count	1	15	16
		% within Adult-Ped	25.0%	9.9%	10.3%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.7%	.6%
	Total		Count	4	152
			% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 2

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	1.0%	2.1%	1.3%
	5-12	Count	2	0	2
		% within Sex	1.9%	.0%	1.3%
	13-19	Count	2	3	5
		% within Sex	1.9%	6.3%	3.3%
	20-24	Count	14	4	18
		% within Sex	13.6%	8.3%	11.9%
	25-29	Count	19	10	29
		% within Sex	18.4%	20.8%	19.2%
	30-34	Count	16	10	26
		% within Sex	15.5%	20.8%	17.2%
	35-39	Count	22	10	32
		% within Sex	21.4%	20.8%	21.2%
	40-44	Count	11	8	19
		% within Sex	10.7%	16.7%	12.6%
	45-49	Count	11	0	11
		% within Sex	10.7%	.0%	7.3%
	50-54	Count	4	1	5
		% within Sex	3.9%	2.1%	3.3%
	55-59	Count	1	1	2
		% within Sex	1.0%	2.1%	1.3%
Total	Count	103	48	151	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	2-4	Count	0	1	1
		% within Sex	.0%	2.1%	.7%
	5-12	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	13-19	Count	2	0	2
		% within Sex	1.9%	.0%	1.3%
	20-24	Count	6	2	8
		% within Sex	5.8%	4.2%	5.3%
	25-29	Count	11	8	19
		% within Sex	10.7%	16.7%	12.6%
	30-34	Count	18	10	28
		% within Sex	17.5%	20.8%	18.5%
	35-39	Count	13	10	23
		% within Sex	12.6%	20.8%	15.2%
	40-44	Count	25	6	31
		% within Sex	24.3%	12.5%	20.5%
	45-49	Count	10	7	17
		% within Sex	9.7%	14.6%	11.3%
	50-54	Count	12	3	15
		% within Sex	11.7%	6.3%	9.9%
55-59	Count	4	1	5	
	% within Sex	3.9%	2.1%	3.3%	
60-64	Count	1	0	1	
	% within Sex	1.0%	.0%	.7%	
Total	Count	103	48	151	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	66	26	92
		% within Sex	64.1%	54.2%	60.9%
	African American	Count	23	19	42
		% within Sex	22.3%	39.6%	27.8%
	Hispanic	Count	13	3	16
		% within Sex	12.6%	6.3%	10.6%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	Total		Count	103	48
			% within Sex	100.0%	100.0%

a. PHR = PHR 2



Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	60	0	60
		% within Sex	58.3%	.0%	39.7%
	IDU	Count	13	18	31
		% within Sex	12.6%	37.5%	20.5%
	M-M & IDU	Count	13	0	13
		% within Sex	12.6%	.0%	8.6%
	Hemophiliac	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	Heterosexual Contact	Count	6	13	19
		% within Sex	5.8%	27.1%	12.6%
	Transfusion	Count	1	1	2
		% within Sex	1.0%	2.1%	1.3%
	Not Classified	Count	6	15	21
		% within Sex	5.8%	31.3%	13.9%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	1.9%	2.1%	2.0%
Total	Count	103	48	151	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	89	92
		% within Adult-Ped	75.0%	60.5%	60.9%
	African American	Count	0	42	42
		% within Adult-Ped	.0%	28.6%	27.8%
	Hispanic	Count	1	15	16
		% within Adult-Ped	25.0%	10.2%	10.6%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.7%	.7%
Total	Count	4	147	151	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. PHR = PHR 2

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

## PHR = PHR 2

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	2	0	2
		% within Sex	10.5%	.0%	8.3%
	30-34	Count	3	1	4
		% within Sex	15.8%	20.0%	16.7%
	35-39	Count	3	1	4
		% within Sex	15.8%	20.0%	16.7%
	40-44	Count	3	0	3
		% within Sex	15.8%	.0%	12.5%
	45-49	Count	5	2	7
		% within Sex	26.3%	40.0%	29.2%
	55-59	Count	1	1	2
		% within Sex	5.3%	20.0%	8.3%
	60-64	Count	2	0	2
		% within Sex	10.5%	.0%	8.3%
Total		Count	19	5	24
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11	3	14
		% within Sex	57.9%	60.0%	58.3%
	African American	Count	5	2	7
		% within Sex	26.3%	40.0%	29.2%
	Hispanic	Count	3	0	3
		% within Sex	15.8%	.0%	12.5%
Total	Count	19	5	24	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	9	0	9
		% within Sex	47.4%	.0%	37.5%
	IDU	Count	5	2	7
		% within Sex	26.3%	40.0%	29.2%
	M-M & IDU	Count	3	0	3
		% within Sex	15.8%	.0%	12.5%
	Heterosexual Contact	Count	1	3	4
		% within Sex	5.3%	60.0%	16.7%
	Not Classified	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
Total	Count	19	5	24	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	14	14
		% within Adult-Ped	58.3%	58.3%
	African American	Count	7	7
		% within Adult-Ped	29.2%	29.2%
	Hispanic	Count	3	3
		% within Adult-Ped	12.5%	12.5%
Total	Count	24	24	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 2

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	2	0	2
		% within Sex	13.3%	.0%	10.0%
	30-34	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
	35-39	Count	4	1	5
		% within Sex	26.7%	20.0%	25.0%
	40-44	Count	5	2	7
		% within Sex	33.3%	40.0%	35.0%
	45-49	Count	0	2	2
		% within Sex	.0%	40.0%	10.0%
	50-54	Count	3	0	3
		% within Sex	20.0%	.0%	15.0%
	Total		15	5	20
			100.0%	100.0%	100.0%

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10	3	13
		% within Sex	66.7%	60.0%	65.0%
	African American	Count	3	2	5
		% within Sex	20.0%	40.0%	25.0%
	Hispanic	Count	2	0	2
		% within Sex	13.3%	.0%	10.0%
	Total		15	5	20
			100.0%	100.0%	100.0%

a. PHR = PHR 2

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	10	0	10
		% within Sex	66.7%	.0%	50.0%
	IDU	Count	1	3	4
		% within Sex	6.7%	60.0%	20.0%
	M-M & IDU	Count	3	0	3
		% within Sex	20.0%	.0%	15.0%
	Heterosexual Contact	Count	0	2	2
		% within Sex	.0%	40.0%	10.0%
	Transfusion	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
Total	Count	15	5	20	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	13	13
		% within Adult-Ped	65.0%	65.0%
	African American	Count	5	5
		% within Adult-Ped	25.0%	25.0%
	Hispanic	Count	2	2
		% within Adult-Ped	10.0%	10.0%
Total	Count	20	20	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 2

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.2%	1.5%	.4%
	2-4	Count	0	1	1
		% within Sex	.0%	1.5%	.2%
	5-12	Count	1	1	2
		% within Sex	.2%	1.5%	.4%
	13-19	Count	3	0	3
		% within Sex	.6%	.0%	.5%
	20-24	Count	19	4	23
		% within Sex	3.9%	6.0%	4.2%
	25-29	Count	88	6	94
		% within Sex	18.3%	9.0%	17.1%
	30-34	Count	114	12	126
		% within Sex	23.7%	17.9%	23.0%
	35-39	Count	96	11	107
		% within Sex	19.9%	16.4%	19.5%
	40-44	Count	67	9	76
		% within Sex	13.9%	13.4%	13.8%
	45-49	Count	46	7	53
		% within Sex	9.5%	10.4%	9.7%
	50-54	Count	21	1	22
		% within Sex	4.4%	1.5%	4.0%
	55-59	Count	13	4	17
		% within Sex	2.7%	6.0%	3.1%
	60-64	Count	5	6	11
		% within Sex	1.0%	9.0%	2.0%
	65-69	Count	4	1	5
		% within Sex	.8%	1.5%	.9%
	70+	Count	4	3	7
		% within Sex	.8%	4.5%	1.3%
Total		Count	482	67	549
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	354	38	392
		% within Sex	73.4%	56.7%	71.4%
	African American	Count	77	21	98
		% within Sex	16.0%	31.3%	17.9%
	Hispanic	Count	48	8	56
		% within Sex	10.0%	11.9%	10.2%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Total	Count	482	67	549
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	270	0	270
		% within Sex	56.0%	.0%	49.2%
	IDU	Count	66	30	96
		% within Sex	13.7%	44.8%	17.5%
	M-M & IDU	Count	90	0	90
		% within Sex	18.7%	.0%	16.4%
	Hemophiliac	Count	5	0	5
		% within Sex	1.0%	.0%	.9%
	Heterosexual Contact	Count	10	21	31
		% within Sex	2.1%	31.3%	5.6%
	Transfusion	Count	13	9	22
		% within Sex	2.7%	13.4%	4.0%
	Not Classified	Count	26	4	30
		% within Sex	5.4%	6.0%	5.5%
	Ped Parent at Risk	Count	1	2	3
		% within Sex	.2%	3.0%	.5%
	Ped Transfusion	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.5%	.2%
Total		Count	482	67	549
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	389	392
		% within Adult-Ped	60.0%	71.5%	71.4%
	African American	Count	1	97	98
		% within Adult-Ped	20.0%	17.8%	17.9%
	Hispanic	Count	1	55	56
		% within Adult-Ped	20.0%	10.1%	10.2%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
	Total	Count	5	544	549
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 2



Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	2-4	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
	5-12	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
	20-24	Count	7	3	10
		% within Sex	3.3%	8.8%	4.1%
	25-29	Count	30	3	33
		% within Sex	14.3%	8.8%	13.5%
	30-34	Count	48	5	53
		% within Sex	22.9%	14.7%	21.7%
	35-39	Count	49	7	56
		% within Sex	23.3%	20.6%	23.0%
	40-44	Count	34	6	40
		% within Sex	16.2%	17.6%	16.4%
	45-49	Count	23	5	28
		% within Sex	11.0%	14.7%	11.5%
	50-54	Count	10	0	10
		% within Sex	4.8%	.0%	4.1%
	55-59	Count	5	2	7
		% within Sex	2.4%	5.9%	2.9%
	60-64	Count	2	1	3
		% within Sex	1.0%	2.9%	1.2%
	65-69	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total	Count	210	34	244	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	1	2
		% within Sex	.5%	2.9%	.8%
	13-19	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
	25-29	Count	4	0	4
		% within Sex	1.9%	.0%	1.6%
	30-34	Count	16	5	21
		% within Sex	7.6%	14.7%	8.6%
	35-39	Count	34	7	41
		% within Sex	16.2%	20.6%	16.8%
	40-44	Count	60	8	68
		% within Sex	28.6%	23.5%	27.9%
	45-49	Count	47	6	53
		% within Sex	22.4%	17.6%	21.7%
	50-54	Count	23	2	25
		% within Sex	11.0%	5.9%	10.2%
	55-59	Count	15	1	16
		% within Sex	7.1%	2.9%	6.6%
	60-64	Count	7	1	8
		% within Sex	3.3%	2.9%	3.3%
	65-69	Count	2	1	3
		% within Sex	1.0%	2.9%	1.2%
	70+	Count	1	1	2
		% within Sex	.5%	2.9%	.8%
Total		Count	210	34	244
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	146	15	161
		% within Sex	69.5%	44.1%	66.0%
	African American	Count	42	16	58
		% within Sex	20.0%	47.1%	23.8%
	Hispanic	Count	21	3	24
		% within Sex	10.0%	8.8%	9.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Total		Count	210	34
			% within Sex	100.0%	100.0%

a. PHR = PHR 2

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	121	0	121
		% within Sex	57.6%	.0%	49.6%
	IDU	Count	37	18	55
		% within Sex	17.6%	52.9%	22.5%
	M-M & IDU	Count	37	0	37
		% within Sex	17.6%	.0%	15.2%
	Heterosexual Contact	Count	3	13	16
		% within Sex	1.4%	38.2%	6.6%
	Transfusion	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Not Classified	Count	10	1	11
		% within Sex	4.8%	2.9%	4.5%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.5%	2.9%	.8%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
Total	Count	210	34	244	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	159	161
		% within Adult-Ped	66.7%	66.0%	66.0%
	African American	Count	1	57	58
		% within Adult-Ped	33.3%	23.7%	23.8%
	Hispanic	Count	0	24	24
		% within Adult-Ped	.0%	10.0%	9.8%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.4%	.4%
Total	Count	3	241	244	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. PHR = PHR 2

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**PHR = PHR 2**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	1	3
		% within Sex	.6%	1.2%	.8%
	2-4	Count	0	1	1
		% within Sex	.0%	1.2%	.3%
	5-12	Count	2	1	3
		% within Sex	.6%	1.2%	.8%
	13-19	Count	2	3	5
		% within Sex	.6%	3.7%	1.3%
	20-24	Count	21	7	28
		% within Sex	6.7%	8.5%	7.1%
	25-29	Count	49	13	62
		% within Sex	15.7%	15.9%	15.7%
	30-34	Count	64	15	79
		% within Sex	20.4%	18.3%	20.0%
	35-39	Count	71	17	88
		% within Sex	22.7%	20.7%	22.3%
	40-44	Count	45	14	59
		% within Sex	14.4%	17.1%	14.9%
	45-49	Count	34	5	39
		% within Sex	10.9%	6.1%	9.9%
50-54	Count	14	1	15	
	% within Sex	4.5%	1.2%	3.8%	
55-59	Count	6	3	9	
	% within Sex	1.9%	3.7%	2.3%	
60-64	Count	2	1	3	
	% within Sex	.6%	1.2%	.8%	
65-69	Count	1	0	1	
	% within Sex	.3%	.0%	.3%	
Total		Count	313	82	395
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	2-4	Count	0	1	1
		% within Sex	.0%	1.2%	.3%
	5-12	Count	2	1	3
		% within Sex	.6%	1.2%	.8%
	13-19	Count	2	1	3
		% within Sex	.6%	1.2%	.8%
	20-24	Count	6	2	8
		% within Sex	1.9%	2.4%	2.0%
	25-29	Count	15	8	23
		% within Sex	4.8%	9.8%	5.8%
	30-34	Count	34	15	49
		% within Sex	10.9%	18.3%	12.4%
	35-39	Count	47	17	64
		% within Sex	15.0%	20.7%	16.2%
	40-44	Count	85	14	99
		% within Sex	27.2%	17.1%	25.1%
	45-49	Count	57	13	70
		% within Sex	18.2%	15.9%	17.7%
	50-54	Count	35	5	40
		% within Sex	11.2%	6.1%	10.1%
55-59	Count	19	2	21	
	% within Sex	6.1%	2.4%	5.3%	
60-64	Count	8	1	9	
	% within Sex	2.6%	1.2%	2.3%	
65-69	Count	2	1	3	
	% within Sex	.6%	1.2%	.8%	
70+	Count	1	1	2	
	% within Sex	.3%	1.2%	.5%	
Total		Count	313	82	395
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	212	41	253
		% within Sex	67.7%	50.0%	64.1%
	African American	Count	65	35	100
		% within Sex	20.8%	42.7%	25.3%
	Hispanic	Count	34	6	40
		% within Sex	10.9%	7.3%	10.1%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.6%	.0%	.5%
Total	Count	313	82	395	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 2

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	181	0	181
		% within Sex	57.8%	.0%	45.8%
	IDU	Count	50	36	86
		% within Sex	16.0%	43.9%	21.8%
	M-M & IDU	Count	50	0	50
		% within Sex	16.0%	.0%	12.7%
	Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Heterosexual Contact	Count	9	26	35
		% within Sex	2.9%	31.7%	8.9%
	Transfusion	Count	2	1	3
		% within Sex	.6%	1.2%	.8%
Total	Not Classified	Count	16	16	32
		% within Sex	5.1%	19.5%	8.1%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Ped Parent at Risk	Count	3	2	5
		% within Sex	1.0%	2.4%	1.3%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.2%	.3%
		Count	313	82	395
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 2

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	5	248	253
		% within Adult-Ped	71.4%	63.9%	64.1%
	African American	Count	1	99	100
		% within Adult-Ped	14.3%	25.5%	25.3%
	Hispanic	Count	1	39	40
		% within Adult-Ped	14.3%	10.1%	10.1%
	Am Indian-Alaskan	Count	0	2	2
		% within Adult-Ped	.0%	.5%	.5%
Total	Count	7	388	395	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. PHR = PHR 2